

Krema 400 Series

Café Quality Coffee at Scale

AUTOMATIC COFFEE MACHINE



- European-made, bean-to-cup espresso
- Up to 14 drink selections
- Built-in milk refrigeration unit
- Self cleaning system
- ConnectMe® remote monitoring & diagnostics option
- Supports up to 150 staff per day



Krema 400 Series Automatic Coffee Machine

Where performance meets precision

The Krema 400 Series is a high-capacity bean-to-cup coffee machine, purpose-built for busy workplace environments. Its elegant 360° design, combined with illuminated ingredient canisters, creates a modern, eye-catching presence in any break room or communal space. The intuitive 10.4" touchscreen makes beverage selection effortless, delivering a smooth and satisfying coffee experience for every user.

Engineered for efficiency and versatility

Capable of delivering over 150 cups per day, the Krema 400 Series offers up to 14 beverage options, including espresso, latte, flat white, hot chocolate and chai. At its core is the patented CoEx® brewing system, designed to handle both espresso and regular coffee with equal precision.

The three top-mounted ingredient canisters provide flexible configuration options – choose from one or two coffee bean varieties, with additional capacity for chocolate or chai powder.

Daily maintenance is streamlined with a front-access waste bin and fully automated cleaning system. Optional ConnectMe® technology enables remote diagnostics and monitoring, keeping performance high and downtime low.


Specifications

Dimensions (w x h x d)	750 x 599 x 540mm (Recommended to allow 50mm on all sides for cleaning & filling)
Weight	35kg
Colour	Black
Power Supply	240V
Power Consumption	1200W
Water Supply	Mains connected
Coffee Bean Hoppers	Up to 2
Coffee Bean Capacity	1.2kg (per hopper)
Additional Canisters	Optional hot chocolate and chai
Brewing System	Patented CoEx® technology
Coffee Dispensing	Dual simultaneous
Dispenser Adjustment	Cup height
LED Lights	Dispensing area
Touch Screen	10.4" colour touchscreen
Beverage Options	14 - including all popular coffee varieties, hot chocolate, and chai
Connectivity	Optional ConnectMe® for remote monitoring and diagnostics
Capacity	Up to 150 staff per day

Krema 400 Series

Installation Specifications

Note: Must leave clearance on left side and top for filling hopper and cleaning access.





Power	Two dedicated 10 amp GPOs (above bench).
Water	Cold water line with mini stop tap.
Filtration	300mm clearance under bench for filter cartridges.
Machine Dimensions (w x h x d)	750 x 599 x 540mm
Minimum Height Clearance	150mm (Total height clearance 749mm from benchtop)
Minimum Width Clearance	50mm clearance required on left side of machine only (Total width clearance 800mm)
Hole in benchtop	30mm diameter hole at rear of bench (min. 550mm from front edge).

Krema 400 Series (Double height hopper)

Installation Specifications

Note: Must leave clearance on the left side and top for filling hopper and cleaning access.



Power	Two dedicated 10 amp GPOs (above bench).
Water	Cold water line with mini stop tap.
Filtration	300mm clearance under bench for filter cartridges.
Machine Dimensions (w x h x d)	750 x 725 x 540mm
Minimum Height Clearance	150mm (Total height clearance 875mm from benchtop)
Minimum Width Clearance	50mm clearance required on left side of machine only (Total width clearance 800mm)
Hole in benchtop	30mm diameter hole at rear of bench (min. 550mm from front edge).